

ONCOLOGY REFERRAL FORM

www.albertsons.com/specialtycare • Phone: 877.466.8028 • Fax: 877.466.8040



Patient Information

Patient Name: _____ DOB: _____ Sex: M F
 Phone: _____ Cell Phone: _____ Email Address: _____
 Address: _____ City: _____ State: _____ Zip: _____
 ICD-10 Diagnosis Code: _____ Diagnosis: _____
 Allergies (please note reaction): _____ Latex
 Current Medications: (list here or attach a medication list): _____

 Comorbidities: (list here or attach a list): _____

INSURANCE INFORMATION - FAX COPY OF PATIENT'S INSURANCE CARD - BOTH SIDES

Prescription Information

MEDICATION	STRENGTH	DIRECTIONS	QUANTITY	REFILLS
<input type="checkbox"/> Bosulif (bosutinib)	<input type="checkbox"/> 100mg Tab	<input type="checkbox"/> Take 500mg by mouth once daily with food.	30-day supply	
	<input type="checkbox"/> 500mg Tab	<input type="checkbox"/> Take _____mg by mouth once daily with food.		
<input type="checkbox"/> Ibrance (palbociclib)	<input type="checkbox"/> 75mg Cap	Take 1 capsule by mouth once daily with food for 21 days, followed by 7 days off for a 28 day cycle.	21 caps	
	<input type="checkbox"/> 100mg Cap			
	<input type="checkbox"/> 125mg Cap			
<input type="checkbox"/> WITH letrozole	2.5mg Tab	Take 1 tablet by mouth once daily.	30-day supply	
<input type="checkbox"/> WITH anastrozole	1mg Tab	Take 1 tablet by mouth once daily.	30-day supply	
<input type="checkbox"/> WITH exemestane	25mg Tab	Take 1 tablet by mouth once daily after a meal.	30-day supply	
<input type="checkbox"/> WITH fulvestrant	500mg Sol	<input type="checkbox"/> Inject 500mg intramuscularly on days 1, 15, 29 then monthly thereafter.	30-day supply	
<input type="checkbox"/> Inlyta (axitinib)	<input type="checkbox"/> 5mg Tab	<input type="checkbox"/> Take 5mg by mouth twice daily, approximately 12 hours apart.	30-day supply	
	<input type="checkbox"/> 1mg Tab	<input type="checkbox"/> Take _____mg by mouth twice daily, approximately 12 hours apart.		
<input type="checkbox"/> Keytruda (pembrolizumab)	<input type="checkbox"/> 50mg lyophilized powder in SDV for reconstitution	<input type="checkbox"/> Administer 200mg via intravenous infusion every 3 weeks over 30 minutes.	21-day supply	
	<input type="checkbox"/> 100 mg/4ml solution in single-dose vial	<input type="checkbox"/> Pediatrics: At 2mg/kg (max. 200mg), administer _____mg via intravenous infusion every 3 weeks over 30 minutes.V		
<input type="checkbox"/> Kisqali (ribociclib)	200mg Tab	<input type="checkbox"/> Take 600mg (3 tablets) by mouth once daily for 21 days followed by 7 days off treatment.	28-day supply	
		<input type="checkbox"/> Take _____mg by mouth once daily for 21 days followed by 7 days off treatment	28-day supply	
<input type="checkbox"/> WITH letrozole	2.5 mg Tab	<input type="checkbox"/> Take 1 tablet by mouth twice daily.	30-day supply	
<input type="checkbox"/> Kisqali Femara Co-pack (ribociclib and letrozole)	200mg Tab/ 2.5mg Tab	<input type="checkbox"/> Take Kisqali 600mg (3 tablets) by mouth once daily for 21 consecutive days followed by 7days off treatment and take Femara 2.5 mg by mouth once daily continuously for a 28-day cycle.	28-day supply	

Prescription information continued on next page

MEDICATION	STRENGTH	DIRECTIONS	QUANTITY	REFILLS
<input type="checkbox"/> Lorbrena (lorlatinib)	<input type="checkbox"/> 100mg Tab	Take 1 tablet by mouth once daily.	30-day supply	
	<input type="checkbox"/> 25mg Tab	<input type="checkbox"/> Take 1 tablet (25mg) by mouth once daily. <input type="checkbox"/> Take 2 tablets (50mg) by mouth once daily. <input type="checkbox"/> Take 3 tablets (75mg) by mouth once daily.		
<input type="checkbox"/> Rydapt (midostaurin)	<input type="checkbox"/> 25mg Cap	<input type="checkbox"/> Take 100mg by mouth twice daily. <input type="checkbox"/> Take 50mg twice daily.	<input type="checkbox"/> 30-day supply <input type="checkbox"/> 90-day supply	
<input type="checkbox"/> Talzenna (talazoparib)	<input type="checkbox"/> 1mg Cap	Take 1 tablet by mouth once daily.	30-day supply	
	<input type="checkbox"/> 0.25mg Cap	<input type="checkbox"/> Take 1 tablet (0.25mg) by mouth once daily. <input type="checkbox"/> Take 2 tablets (0.5mg) by mouth once daily. <input type="checkbox"/> Take 3 tablets (0.75mg) by mouth once daily.		
<input type="checkbox"/> Verzenio (abemaciclib)	<input type="checkbox"/> 50mg Tab	Take 1 tablet by mouth twice daily.	28-day supply	
	<input type="checkbox"/> 100mg Tab	Take 1 tablet by mouth twice daily.	28-day supply	
	<input type="checkbox"/> 150mg Tab	Take 1 tablet by mouth twice daily.	28-day supply	
	<input type="checkbox"/> 200mg Tab	Take 1 tablet by mouth twice daily.	28-day supply	
<input type="checkbox"/> Vizimpro (dacomitinib)	<input type="checkbox"/> 45mg Tab	Take 1 tablet by mouth once daily.	30-day supply	
	<input type="checkbox"/> 30mg Tab			
	<input type="checkbox"/> 15mg Tab			
<input type="checkbox"/> Xalkori (crizotinib)	<input type="checkbox"/> 250mg Cap	<input type="checkbox"/> Take 250mg by mouth twice daily. <input type="checkbox"/> Take 250mg by mouth once daily.	30-day supply	
	<input type="checkbox"/> 200mg Cap	<input type="checkbox"/> Take 200mg by mouth twice daily.		
	<input type="checkbox"/> 250mg Tab	Take _____mg by mouth once daily without food.		
<input type="checkbox"/> 500mg Tab				
<input type="checkbox"/> WITH prednisone	5 mg Tab	Take 1 tablet by mouth once daily with food.	30-day supply	
<input type="checkbox"/> WITH prednisone	5 mg Tab	Take 1 tablet by mouth twice daily with food.	30-day supply	
Other Medication:				

Treatment History: **New to Therapy** **Continuation of Therapy**

Prescriber Name: _____
 State License #: _____ DEA #: _____ NPI: _____
 Additional Contact Person Name: _____
 Group or Hospital: _____ Phone: _____
 Fax: _____ Email Address: _____
 Address: _____ City: _____ State: _____ Zip: _____
 Prescriber Signature: _____
 _____ Product Substitution Permitted _____ Dispensed as Written _____ Date

The prescriber is to comply with state specific prescription requirements such as e-prescribing, state specific prescription form, fax language, etc. Non-compliance with state specific requirements could result in outreach to the prescriber.

Ship to Patient Ship to Prescriber/Clinic Pick up at Albertsons Companies Pharmacy
 Date Medication Needed: _____

Confidentiality Warning: The information contained in this facsimile message is privileged and confidential information intended only for the review and use of the individual or entity to which it is addressed. If the reader of this message is not the intended recipient, you are hereby notified that any disclosure, dissemination, distribution or copying of this communication of the information contained herein is strictly prohibited. If you have received this communication in error, please immediately notify sender by telephone, and destroy the original documents.

It's as simple as **caring.**